

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	129093	stor\$4 near2 (command\$1 procedur\$3 signal\$3)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L2	12650	((710/1) or (710/5) or (710/6) or (710/7) or (710/12) or (710/20) or (710/21) or (710/28) or (710/33) or (710/36) or (709/102) or (709/201) or (709/203) or (709/225) or (709/310) or (725/2) or (725/25) or (725/38) or (725/61) or (725/62) or (725/63) or (725/67) or (725/68) or (725/86) or (725/87) or (725/91) or (725/93) or (725/100) or (725/103) or (725/104) or (725/105) or (725/110) or (725/114) or (725/116) or (725/135) or (725/136) or (725/138) or (725/139) or (725/143) or (725/144) or (725/151)).CCLS.	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L3	1107	L2 and (broadcaster\$1 broadcastor\$1 (broadcast\$3 near2 station\$1) (broadcast\$3 near2 unit\$1) (broadcast\$3 near2 device\$1))	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L4	63037	(play\$3 execut\$4) near2 (command\$1 procedur\$3 signal\$3)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L5	99	L3 and L1 and L4	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L6	3746	L2 and (broadcast\$4)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L7	244	L6 and L1 and L4	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L8	63	L7 and (encrypt\$4 encipher\$4 crypto\$8 cipher\$8)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L9	46	L8 and (decrypt\$4 decipher\$8)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L10	475300	(play\$3 execut\$4 show\$3 display\$3) near4 (command\$1 procedur\$3 signal\$3)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L11	52228	broadcaster\$1 broadcastor\$1 ((broadcast\$3 satellite) near4 (station\$1 system\$1 computer\$1 server\$1 provider\$1 compan\$3 unit\$1 device\$1))	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L12	235680	(record\$3 save\$1 saving download\$3 stor\$4) near3 (command\$1 procedur\$3 signal\$3)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L13	10417	L11 and L12 and L10	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21

## EAST Search History

L14	1747	L13 and (encrypt\$4 encipher\$9 crypto\$9 cipher\$9)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L15	1024	L14 and (decrypt\$4 decipher\$9)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L16	893	L15 and key\$1	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L17	1019	L11 with L12	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L18	1510	L11 with L10	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L19	263	L17 and L18	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L20	31377	(record\$3 save\$1 saving download\$3 stor\$4) near3 (command\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L21	54818	(play\$3 execut\$4 show\$3 display\$3) near3 (command\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L22	15423	L21 and L20	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L23	1627	L11 and L22	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L24	118	L20 with L11	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L25	433	L23 and (encrypt\$4 encipher\$9 crypto\$9 cipher\$9)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L26	287	L25 and (decrypt\$4 decipher\$9)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L27	278	L26 and key\$1	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L28	9230	L11 with (send\$3 deliver\$3 sent transmi\$7 broadcast\$3) with (play\$3 execut\$4 show\$3 display\$3 command\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L29	7377	L11 with (send\$3 deliver\$3 sent transmi\$7 broadcast\$3) with (record\$3 save\$1 saving download\$3 stor\$4 command\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L30	3962	L29 and L28	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L31	751	L30 and (encrypt\$4 encipher\$9 crypto\$9 cipher\$9)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L32	484	L31 and (decrypt\$4 decipher\$9)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L33	430	L32 and key\$1	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21

## EAST Search History

L34	73668	(content\$1 data\$1 broadcast\$3 material\$1 video\$1 program\$3) near3 (id identifier\$1 identit\$3 identification\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L35	268	L33 and L34	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L36	150	L35 and L12 and L10	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L37	13827	(delet\$4 eras\$3 throw\$3 trash\$3 remov\$3 disgard\$3) near3 (key\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L38	29	L35 and L37	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L39	19935	(find\$3 search\$3 database\$1 look\$4 locat\$3) near5 (command\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L40	107	L27 and L39	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L41	42	L19 and (encrypt\$4 encipher\$9 crypto\$9 cipher\$9)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L42	33	L41 and key\$1	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L43	31	L42 and (decrypt\$4 decipher\$9)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L45	134	L21 with L11	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L46	16	L45 and L24	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L51	193171	(play\$3 execut\$4 display\$3) near2 (command\$1 instruction\$1 procedur\$3 signal\$3)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L52	235416	(record\$3 save\$1 saving download\$3 stor\$4) near2 (command\$1 instruction\$1 procedur\$3 signal\$3)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L53	504	L51 near7 L11	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L54	522	L52 near7 L11	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L55	38	L19 and (decrypt\$4 decipher\$9)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L56	52	L53 and L54	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L57	7	L56 and (decrypt\$4 decipher\$9)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L58	1340	broadcast\$3 near7 L51	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21

## EAST Search History

L59	1551	L52 near7 broadcast\$3	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L60	251	L58 and L59	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L61	32	L60 and (decrypt\$4 decipher\$9)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L62	521	L16 and L34	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L63	425	L62 and command\$1	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L64	1	L46 and (encrypt\$4 encipher\$9 crypto\$9 cipher\$9)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L65	1	L64 and (encrypt\$4 encipher\$9 crypto\$9 cipher\$9)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L66	12259	L11 with (play\$3 execut\$4 show\$3 display\$3 command\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L67	12650	((710/1) or (710/5) or (710/6) or (710/7) or (710/12) or (710/20) or (710/21) or (710/28) or (710/33) or (710/36) or (709/102) or (709/201) or (709/203) or (709/225) or (709/310) or (725/2) or (725/25) or (725/38) or (725/61) or (725/62) or (725/63) or (725/67) or (725/68) or (725/86) or (725/87) or (725/91) or (725/93) or (725/100) or (725/103) or (725/104) or (725/105) or (725/110) or (725/114) or (725/116) or (725/135) or (725/136) or (725/138) or (725/139) or (725/143) or (725/144) or (725/151)).CCLS.	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L68	1107	L67 and (broadcaster\$1 broadcastor\$1 (broadcast\$3 near2 station\$1) (broadcast\$3 near2 unit\$1) (broadcast\$3 near2 device\$1))	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L69	129093	stor\$4 near2 (command\$1 procedur\$3 signal\$3)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L70	63037	(play\$3 execut\$4) near2 (command\$1 procedur\$3 signal\$3)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L71	99	L68 and L69 and L70	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L72	235416	(record\$3 save\$1 saving download\$3 stor\$4) near2 (command\$1 instruction\$1 procedur\$3 signal\$3)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21

## EAST Search History

L73	52228	broadcaster\$1 broadcastor\$1 ((broadcast\$3 satellite) near4 (station\$1 system\$1 computer\$1 server\$1 provider\$1 compan\$3 unit\$1 device\$1))	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L74	522	L72 near7 L73	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L75	193171	(play\$3 execut\$4 display\$3) near2 (command\$1 instruction\$1 procedur\$3 signal\$3)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L76	1340	broadcast\$3 near7 L75	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L77	1551	L72 near7 broadcast\$3	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L78	251	L76 and L77	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L79	31377	(record\$3 save\$1 saving download\$3 stor\$4) near3 (command\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L80	54818	(play\$3 execut\$4 show\$3 display\$3) near3 (command\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L81	15423	L80 and L79	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L82	1627	L73 and L81	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L83	433	L82 and (encrypt\$4 encipher\$9 crypto\$9 cipher\$9)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L84	287	L83 and (decrypt\$4 decipher\$9)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L85	3746	L67 and (broadcast\$4)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L86	244	L85 and L69 and L70	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L87	13827	(delet\$4 eras\$3 throw\$3 trash\$3 remov\$3 disgard\$3) near3 (key\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L88	475300	(play\$3 execut\$4 show\$3 display\$3) near4 (command\$1 procedur\$3 signal\$3)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L89	235680	(record\$3 save\$1 saving download\$3 stor\$4) near3 (command\$1 procedur\$3 signal\$3)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L90	10417	L73 and L89 and L88	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L91	1747	L90 and (encrypt\$4 encipher\$9 crypto\$9 cipher\$9)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21

## EAST Search History

L92	1024	L91 and (decrypt\$4 decipher\$9)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L93	893	L92 and key\$1	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L94	504	L75 near7 L73	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L95	52	L94 and L74	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L96	1510	L73 with L88	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L97	1019	L73 with L89	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L98	263	L97 and L96	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L99	42	L98 and (encrypt\$4 encipher\$9 crypto\$9 cipher\$9)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L100	33	L99 and key\$1	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L101	9230	L73 with (send\$3 deliver\$3 sent transmi\$7 broadcast\$3) with (play\$3 execut\$4 show\$3 display\$3 command\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L102	7377	L73 with (send\$3 deliver\$3 sent transmi\$7 broadcast\$3) with (record\$3 save\$1 saving download\$3 stor\$4 command\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L103	3962	L102 and L101	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L104	751	L103 and (encrypt\$4 encipher\$9 crypto\$9 cipher\$9)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L105	484	L104 and (decrypt\$4 decipher\$9)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L106	430	L105 and key\$1	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L107	118	L79 with L73	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L108	278	L84 and key\$1	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L109	31	L100 and (decrypt\$4 decipher\$9)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L110	19935	(find\$3 search\$3 database\$1 look\$4 locat\$3) near5 (command\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L111	107	L108 and L110	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21

## EAST Search History

L113	73668	(content\$1 data\$1 broadcast\$3 material\$1 video\$1 program\$3) near3 (id identifier\$1 identit\$3 identification\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L114	268	L106 and L113	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L115	150	L114 and L89 and L88	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L116	29	L114 and L87	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L118	134	L80 with L73	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L120	16	L118 and L107	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L123	38	L98 and (decrypt\$4 decipher\$9)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L124	521	L93 and L113	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L125	1	L120 and (encrypt\$4 encipher\$9 crypto\$9 cipher\$9)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L126	1	L125 and (encrypt\$4 encipher\$9 crypto\$9 cipher\$9)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L127	12259	L73 with (play\$3 execut\$4 show\$3 display\$3 command\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L128	7	L95 and (decrypt\$4 decipher\$9)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L129	32	L78 and (decrypt\$4 decipher\$9)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L130	425	L124 and command\$1	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L131	63	L86 and (encrypt\$4 encipher\$4 crypto\$8 cipher\$8)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21
L132	46	L131 and (decrypt\$4 decipher\$8)	USPAT; IBM_TDB	OR	OFF	2007/03/05 10:21